

BSY 3000



Mainframe

| | |
|-----------------|---------------------------------|
| Chassis | : Fixed rear axle |
| Crawler Chassis | : Oscillating on axles |
| Engine Hood | : Isolated with inspection door |

Engine

| | |
|-------|---------------|
| Brand | : Caterpillar |
| Type | : C9 |
| Power | : 350 bhp |

Crawler Drive System

| | |
|---------------|---------------------------|
| Type | : Hydrostatic drive |
| Track Rollers | : Lifetime lubricated |
| Crawler Chain | : D4 |
| Crawler Shoes | : 800 mm / triple grouser |
| Control | : Electric joysticks |

Plow Mechanism

| | |
|---------------|------------------------------------|
| Mechanism | : Parallelogram Barth TL-principle |
| Type | : Delta or Ripper |
| Float Control | : Variable pressure |
| Depth Control | : GPS or Laser |

Control and comfort

| | |
|-----------------|---|
| Cabin | : Fixed cabin |
| Interior: | : Comfortable chair, joystick in arm-rest |
| Crawler control | : Manual or GPS |
| Machine control | : Electronic |

Dimensions

| | |
|--------|-------------|
| Length | : 12.000 mm |
| Width | : 3.000 mm |
| Height | : 3.150 mm |
| Weight | : 21.000 kg |



Barth Hollandrain
P.O. Box 5150
3295 ZH 's-Gravendeel
The Netherlands





Tel.: +31(0)78 673 33 00
Fax: +31 (0)78 673 47 00
E: info@barthhollandrain.nl
W: www.barthhollandrain.nl

BSY 3000



Options:

- Other engine brands
- Side tilt
- Double linkage plow mechanism
- Laser or GPS
- Country specific packages
- Platform for extra pipe coils
- Slewable cabin



The Company

Barth Hollandrain is specialized in design, development, manufacturing, marketing, sales and service of a wide range of heavy duty Drainage, Dewatering and Trenching machines. Plows and complementary equipment like Gravel Trailers or Flushing Machines as well as spare parts for the subsurface cable and dewatering pipe laying industry are part of an extensive product range; the widest program in the drainage industry. The majority of customers have their core business in agricultural, irrigation, recreational, utility, construction and adjacent industries. Machines operate in target markets in Europe, Middle East, Africa, Far East, United States and South America. Hollandrain® machines are designed to be used in extreme subsurface conditions up to easily 8 meters or more in different types of soil. Hollandrain® assures a favorable total cost of ownership due to extremely low operating cost and durable design.

Barth Hollandrain
P.O. Box 5150
3295 ZH 's-Gravendeel
The Netherlands



Tel.: +31(0)78 673 33 00
Fax: +31 (0)78 673 47 00
E: info@barthhollandrain.nl
W: www.barthhollandrain.nl